

BRIWAX WAX POLISH REMOVER

Page: 1

Compilation date: 23/04/2013 Revision date: 23/02/2020 Revision No: 2

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: BRIWAX WAX POLISH REMOVER

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name:	Rustins Ltd
	Waterloo Road
	Cricklewood
	London
	NW2 7TX
	United Kingdom
Tel:	+44 (0)208 450 4666
Fax:	+44 (0)208 452 2008
Email:	rustins@rustins.co.uk

1.4. Emergency telephone number

Emergency tel: .+44(0)2084504666 (Office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP:	Asp. Tox. 1: H304; Eye Irrit. 2: H319; Flam. Liq. 3: H226
Most important adverse effects:	Flammable liquid and vapour. May be fatal if swallowed and enters airways. Causes
	serious eye irritation.

2.2. Label elements

Label elements:	
Hazard statements:	H226: Flammable liquid and vapour.
	H304: May be fatal if swallowed and enters airways.
	H319: Causes serious eye irritation.
Hazard pictograms:	GHS02: Flame
	GHS07: Exclamation mark
	GHS08: Health hazard



[cont...]

PDF created with pdfFactory Pro trial version www.pdffactory.com

BRIWAX WAX POLISH REMOVER

Signal words:	Danger
Precautionary statements:	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	P370+P378: In case of fire: Use media other than water to extinguish.
	P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor.
	P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.
	Rinse skin with water.
	P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P331: Do NOT induce vomiting.
	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition
	sources. No smoking.
2.3. Other hazards	

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

NAPHTHA (PETROLEUM), HYDROTREATED HEAVY

EINECS	CAS	PBT / WEL	CLP Classification	Percent
-	64742-48-9	-	Aquatic Chronic 3: H412; Flam. Liq. 3: H226	70-90%

BUTYL DIGLYCOL

- 112-34-5 -	-	10-30%
--------------	---	--------

Section 4: First aid measures

4.1. Description of first aid measures	
Skin contact:	Wash immediately with plenty of soap and water. Remove all contaminated clothes and
	footwear immediately unless stuck to skin. Consult a doctor.
Eye contact:	Bathe the eye with running water for 15 minutes. Consult a doctor.
Ingestion:	Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water
	to drink immediately.
Inhalation:	If unconscious and breathing is OK, place in the recovery position. If unconscious, check
	for breathing and apply artificial respiration if necessary. Move to fresh air in case of
	accidental inhalation of vapours.
4.2. Most important symptoms	s and effects, both acute and delayed
Skin contact:	There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness.

[cont...]

PDF created with pdfFactory Pro trial version www.pdffactory.com

Page: 2

BRIWAX WAX POLISH REMOVER

Ingestion: There may be shortness of breath due to congestion of the lungs. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Carbon dioxide. Dry chemical powder. Alcohol resistant foam.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Flammable. Vapour may travel considerable distance to source of ignition and flash back. In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mechanically ventilate the spillage area whilst avoiding the formation of explosive concentrations - see section 9 of SDS. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Refer to section 8 of SDS for personal protection details. Eliminate all sources of ignition.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks. Wash the ground with an appropriate self-emulsifying solvent.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Ensure there is exhaust ventilation of the area. Avoid direct contact with the substance. Earth any equipment used in handling. Smoking is forbidden. Use non-sparking tools.

[cont...]

PDF created with pdfFactory Pro trial version www.pdffactory.com

Page: 3

BRIWAX WAX POLISH REMOVER

7.2. Conditions for safe storage, including any incompatibilities Storage conditions: Store in a cool, well ventilated area. Keep away from sources of ignition. Keep away from direct sunlight. Keep container tightly closed. The floor of the storage room must be impermeable to prevent the escape of liquids. Suitable packaging: Must only be kept in original packaging. 7.3. Specific end use(s): No data available. ection 8: Exposure controls/personal protection 8.1. Control parameters Workplace exposure limits: No data available. DNEL / PNEC No data available. 8.2. Exposure controls Engineering measures: Ensure there is exhaust ventilation of the area. Respiratory protection: Gas/vapour filter, type A: organic vapours (EN141). Self-contained breathing apparatus must be available in case of emergency. Hand protection: PvCC gloves. Nitrile gloves. Eye protection: PvCC gloves. Nitrile gloves. Eye protection: Protective clothing. PVC apron. Environmental: Prevent from entering in public sewers or the immediate environment. ection 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties 0.1. Information and saic aparafinic. Evaporation rate: No data available.			Page:	4
direct sunlight. Keep container tightly closed. The floor of the storage room must be impermeable to prevent the escape of liquids. Suitable packaging: Must only be kept in original packaging. 7.3. Specific end use(s): No data available. eection 8: Exposure controls/personal protection 8.1. Control parameters Workplace exposure limits: No data available. DNEL/PNEC Values DNEL/PNEC Values DNEL/PNEC No data available. 8.2. Exposure controls Engineering measures: Ensure there is exhaust ventilation of the area. Respiratory protection: Gas/vapour filter, type A: organic vapours (EN141). Self-contained breathing apparatus must be available in case of emergency. Hand protection: PVC gloves. Nitrile gloves. Eye protection: PVC gloves. Nitrile gloves. Skin protection: Protective clothing. PVC apron. Environmental: Prevent from entering in public severs or the immediate environment. eetton 9: Physical and chemical properties State: Liquid Colour: Colourless Odour: Paraffinic.	7.2. Conditions for safe storage	ge, including any incompatibilities		
impermeable to prevent the escape of liquids. Suitable packaging: Must only be kept in original packaging. 7.3. Specific end use(s): No data available. section 8: Exposure controls/personal protection 8.1. Control parameters Workplace exposure limits: No data available. DNEL/PNEC Values DNEL/PNEC Values DNEL/PNEC No data available. 8.2. Exposure controls Engineering measures: Ensure there is exhaust ventilation of the area. Respiratory protection: Gas/vapour filter, type A: organic vapours (EN141). Self-contained breathing apparatus must be available in case of emergency. Hand protection: PVC gloves. Nitrile gloves. Eye protection: Ensure eye bath is to hand. Safety glasses with side-shields. Skin protection: Protective clothing. PVC apron. Environmental: Prevent from entering in public sewers or the immediate environment. ection 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties State: Liquid Colour: Colourless Godur: Paraffinic.	Storage conditions:	Store in a cool, well ventilated area. Keep away from sources of ignition. Keep away from		
Suitable packaging: Must only be kept in original packaging. 7.3. Specific end use(s) Specific end use(s): Specific end use(s): No data available. ection 8: Exposure controls/personal protection 8.1. Control parameters Workplace exposure limits: No data available. DNEL/PNEC Values DNEL / PNEC No data available. 8.2. Exposure controls Engineering measures: Ensure there is exhaust ventilation of the area. Respiratory protection: Gas/vapour filter, type A: organic vapours (EN141). Self-contained breathing apparatus must be available in case of emergency. Hand protection: Ensure eye bath is to hand. Safety glasses with side-shields. Skin protection: Protective clothing. PVC apron. Environmental: Prevent from entering in public sewers or the immediate environment. ection 9: Physical and chemical properties 91. Information on basic physical and chemical properties 9.1. Information on basic physical and chemical properties Olour; Colouriess Odour: Paraffinic.		direct sunlight. Keep container tightly closed. The floor of the storage room must be		
7.3. Specific end use(s) Specific end use(s): No data available. eection 8: Exposure controls/personal protection 8.1. Control parameters Workplace exposure limits: No data available. DNEL/PNEC Values DNEL / PNEC No data available. 8.2. Exposure controls Engineering measures: Ensure there is exhaust ventilation of the area. Respiratory protection: Gas/vapour filter, type A: organic vapours (EN141). Self-contained breathing apparatus must be available in case of emergency. Hand protection: PVC gloves. Nitrile gloves. Eye protection: Ensure eye bath is to hand. Safety glasses with side-shields. Skin protection: Protective clothing. PVC apron. Environmental: Prevent from entering in public sewers or the immediate environment. ection 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties Otion: Colouriess Odour: Paraffinic.		impermeable to prevent the escape of liquids.		
Specific end use(s): No data available. ection 8: Exposure controls/personal protection 8.1. Control parameters Workplace exposure limits: No data available. DNEL/PNEC Values DNEL/PNEC Values B.2. Exposure controls Engineering measures: Ensure there is exhaust ventilation of the area. Respiratory protection: Gas/vapour filter, type A: organic vapours (EN141). Self-contained breathing apparatus must be available in case of emergency. Hand protection: PVC gloves. Nitrile gloves. Eye protection: Ensure eye bath is to hand. Safety glasses with side-shields. Skin protection: Protective clothing. PVC apron. Environmental: Prevent from entering in public sewers or the immediate environment. ection 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties State: Liquid Colour: Colourless Odour: Paraffinic.	Suitable packaging:	Must only be kept in original packaging.		
ection 8: Exposure controls/personal protection 8.1. Control parameters Workplace exposure limits: No data available. DNEL/PNEC Values DNEL / PNEC No data available. 8.2. Exposure controls Engineering measures: Ensure there is exhaust ventilation of the area. Respiratory protection: Gas/vapour filter, type A: organic vapours (EN141). Self-contained breathing apparatus must be available in case of emergency. Hand protection: PVC gloves. Nitrile gloves. Eye protection: Ensure eye bath is to hand. Safety glasses with side-shields. Skin protection: Protective clothing. PVC apron. Environmental: Prevent from entering in public sewers or the immediate environment. ection 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties Odour: Parafifnic.	7.3. Specific end use(s)			
8.1. Control parameters Workplace exposure limits: No data available. DNEL/PNEC Values DNEL / PNEC No data available. 8.2. Exposure controls Engineering measures: Ensure there is exhaust ventilation of the area. Respiratory protection: Gas/vapour filter, type A: organic vapours (EN141). Self-contained breathing apparatus must be available in case of emergency. Hand protection: PVC gloves. Nitrile gloves. Eye protection: Ensure eye bath is to hand. Safety glasses with side-shields. Skin protection: Protective clothing. PVC apron. Environmental: Prevent from entering in public sewers or the immediate environment. ection 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties Odour: Colourless Odour: Paraffinic.	Specific end use(s):	No data available.		
Workplace exposure limits: No data available. DNEL/PNEC Values DNEL / PNEC DNEL / PNEC No data available. 8.2. Exposure controls Engineering measures: Engineering measures: Ensure there is exhaust ventilation of the area. Respiratory protection: Gas/vapour filter, type A: organic vapours (EN141). Self-contained breathing apparatus must be available in case of emergency. Hand protection: PVC gloves. Nitrile gloves. Eye protection: Ensure eye bath is to hand. Safety glasses with side-shields. Skin protection: Protective clothing. PVC apron. Environmental: Prevent from entering in public sewers or the immediate environment. ection 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties State: Liquid Colour: Colourless Odour: Paraffinic.	ection 8: Exposure controls	/personal protection		
DNEL/PNEC Values DNEL / PNEC No data available. B.2. Exposure controls Engineering measures: Ensure there is exhaust ventilation of the area. Respiratory protection: Gas/vapour filter, type A: organic vapours (EN141). Self-contained breathing apparatus must be available in case of emergency. Hand protection: PVC gloves. Nitrile gloves. Eye protection: Ensure eye bath is to hand. Safety glasses with side-shields. Skin protection: Protective clothing. PVC apron. Protective clothing. PVC apron. Environmental: Prevent from entering in public sewers or the immediate environment. State: Liquid Colourless Odour: Paraffinic.	8.1. Control parameters			
DNEL / PNEC No data available. 8.2. Exposure controls Engineering measures: Ensure there is exhaust ventilation of the area. Respiratory protection: Gas/vapour filter, type A: organic vapours (EN141). Self-contained breathing apparatus must be available in case of emergency. Hand protection: PVC gloves. Nitrile gloves. Eye protection: Ensure eye bath is to hand. Safety glasses with side-shields. Skin protection: Protective clothing. PVC apron. Environmental: Prevent from entering in public sewers or the immediate environment. ection 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties State: Liquid Colour: Colourless Odour: Paraffinic.	Workplace exposure limits:	No data available.		
8.2. Exposure controls Engineering measures: Ensure there is exhaust ventilation of the area. Respiratory protection: Gas/vapour filter, type A: organic vapours (EN141). Self-contained breathing apparatus must be available in case of emergency. Hand protection: PVC gloves. Nitrile gloves. Eye protection: Ensure eye bath is to hand. Safety glasses with side-shields. Skin protection: Protective clothing. PVC apron. Environmental: Prevent from entering in public sewers or the immediate environment. ection 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties Colour: Colourless Odour: Paraffinic.	DNEL/PNEC Values			
Engineering measures: Ensure there is exhaust ventilation of the area. Respiratory protection: Gas/vapour filter, type A: organic vapours (EN141). Self-contained breathing apparatus must be available in case of emergency. Hand protection: PVC gloves. Nitrile gloves. Eye protection: Ensure eye bath is to hand. Safety glasses with side-shields. Skin protection: Protective clothing. PVC apron. Environmental: Prevent from entering in public sewers or the immediate environment. ection 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties State: Liquid Colour: Colourless Odour: Paraffinic.	DNEL / PNEC	No data available.		
Respiratory protection: Gas/vapour filter, type A: organic vapours (EN141). Self-contained breathing apparatus must be available in case of emergency. Hand protection: PVC gloves. Nitrile gloves. Eye protection: Ensure eye bath is to hand. Safety glasses with side-shields. Skin protection: Protective clothing. PVC apron. Environmental: Prevent from entering in public sewers or the immediate environment. Section 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties State: Liquid Colour: Colourless Odour: Paraffinic.	8.2. Exposure controls			
must be available in case of emergency. Hand protection: PVC gloves. Nitrile gloves. Eye protection: Ensure eye bath is to hand. Safety glasses with side-shields. Skin protection: Protective clothing. PVC apron. Environmental: Prevent from entering in public sewers or the immediate environment. ection 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties State: Liquid Colour: Colourless Odour: Paraffinic.	Engineering measures:	Ensure there is exhaust ventilation of the area.		
Hand protection: PVC gloves. Nitrile gloves. Eye protection: Ensure eye bath is to hand. Safety glasses with side-shields. Skin protection: Protective clothing. PVC apron. Environmental: Prevent from entering in public sewers or the immediate environment. ection 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties State: Liquid Colour: Colourless Odour: Paraffinic.	Respiratory protection:	Gas/vapour filter, type A: organic vapours (EN141). Self-contained breathing apparatus		
Eye protection: Ensure eye bath is to hand. Safety glasses with side-shields. Skin protection: Protective clothing. PVC apron. Environmental: Prevent from entering in public sewers or the immediate environment. section 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties State: Liquid Colour: Colourless Odour: Paraffinic.		must be available in case of emergency.		
Skin protection: Protective clothing. PVC apron. Environmental: Prevent from entering in public sewers or the immediate environment. ection 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties State: Liquid Colour: Colourless Odour: Paraffinic.	Hand protection:	PVC gloves. Nitrile gloves.		
Environmental: Prevent from entering in public sewers or the immediate environment. ection 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties State: Liquid Colour: Colourless Odour: Paraffinic.	Eye protection:	Ensure eye bath is to hand. Safety glasses with side-shields.		
ection 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties State: Liquid Colour: Colourless Odour: Paraffinic.	Skin protection:	Protective clothing. PVC apron.		
9.1. Information on basic physical and chemical properties State: Liquid Colour: Colourless Odour: Paraffinic.	Environmental:	Prevent from entering in public sewers or the immediate environment.		
State: Liquid Colour: Colourless Odour: Paraffinic.	ection 9: Physical and chem	nical properties		
Colour: Colourless Odour: Paraffinic.	9.1. Information on basic phys	sical and chemical properties		
Colour: Colourless Odour: Paraffinic.	State:	Liquid		
Evaporation rate: No data available.	Odour:	Paraffinic.		
	Evaporation rate:	No data available.		

Evaporation rate:	No data available.		
Oxidising:	No data available.		
Solubility in water:	Insoluble		
Viscosity:	Non-viscous		
Boiling point/range°C:	160	Melting point/range°C:	No data available.
Flammability limits %: lower:	No data available.	upper:	No data available.
Flash point°C:	23 - 55	Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	No data available.	Vapour pressure:	No data available.
Relative density:	0.870@20 C	pH:	Approx. 7
VOC g/l:	No data available.		

[cont...]

PDF created with pdfFactory Pro trial version <u>www.pdffactory.com</u>

BRIWAX WAX POLISH REMOVER

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

Conditions to avoid: Heat. Sources of ignition.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

Section 11: Toxicological information

11.1. Information on toxicological effects

Relevant hazards for product:

Hazard	Route	Basis
Serious eye damage/irritation	OPT	Hazardous: calculated
Aspiration hazard	-	Hazardous: calculated

Symptoms / routes of exposure

Skin contact:	There may be irritation and redness at the site of contact.
Eye contact:	There may be irritation and redness.
Ingestion:	There may be shortness of breath due to congestion of the lungs. There may be
	vomiting.
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest.
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.
Other information:	Not applicable.

Section 12: Ecological information

PDF created with pdfFactory Pro trial version <u>www.pdffactory.com</u>

[cont...]

BRIWAX WAX POLISH REMOVER

Page: 6

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1263

14.2. UN proper shipping name

Shipping name: Paint realated material.

14.3. Transport hazard class(es)

Transport class: 3

14.4. Packing group

Packing group: III

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: Yes

14.6. Special precautions for user

BRIWAX WAX POLISH REMOVER

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Section 16: Other information

Other information This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830. * indicates text in the SDS which has changed since the last revision. Phrases used in s.2 and s.3: H226: Flammable liquid and vapour. H304: May be fatal if swallowed and enters airways. H319: Causes serious eye irritation. H412: Harmful to aquatic life with long lasting effects. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.